

TITLE OF THE INVENTION

BUSINESS METHOD BY INTERNET CONNECTION INFORMATION
REGISTRATION SERVICE, INTERNET CONNECTION SETTING
METHOD, INTERNET CONNECTION INFORMATION REGISTRATION
5 METHOD, AND COMPUTER-READABLE RECORDING MEDIUM WHICH
RECORDS APPLICATION PROGRAM

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is based upon and claims the
benefit of priority from the prior Japanese Patent
10 Application No. 2000-128220, filed April 27, 2000,
the entire contents of which are incorporated herein
by reference.

BACKGROUND OF THE INVENTION

The present invention relates to a business method
15 by an Internet connection information registration
service, Internet connection setting method, Internet
connection information registration method, and
computer-readable recording medium which records an
application program, which are suitable to implement
20 setting for Internet connection using a portable
recording medium.

In recent years, not only a personal computer
(to be referred to as a PC hereinafter) but also many
electronic devices, including a mobile telephone
25 represented by a portable telephone, game apparatus,
and television apparatus (to be referred to as a TV
apparatus hereinafter), have a communication function,

so these devices can be connected to the Internet to transmit/receive e-mail, browse a homepage, and do online shopping.

To connect an electronic device to the Internet, the user must select a desired provider (Internet connection agency), make an agreement with the provider, and acquire pieces of information (to be referred to as Internet connection information hereinafter) such as a user ID, user password, mail account, mail password, DNS (Domain Name System), and access point. The user then performs predetermined operation of setting the acquired Internet connection information to the electronic device. With the above procedure, the electronic device can be connected to the Internet.

However, the user-side setting procedure for connecting the electronic device to the Internet is not always easy for a user who has no experience on a PC or the like. Some providers distribute a free recording medium such as a CD-ROM that stores guidance software for the Internet connection information acquisition and setting operations. However, even with such a CD-ROM, the user must still do necessary setting operations in a correct order.

A certain kind of portable telephone can be connected to the Internet without any special user operation. However, for a portable telephone of this

type, the provider (Internet connection agency) is fixed. Hence, some users must separately agree with a provider for Internet connection from, e.g., a PC and a provider for Internet connection from a portable telephone and separately pay basic charges.

BRIEF SUMMARY OF THE INVENTION

The present invention has been made in consideration of the above situation, and has as its object to provide a business method by an Internet connection information registration service, which allows automatic setting for Internet connection using a portable recording medium.

It is another object of the present invention to provide an Internet connection setting method, Internet connection information registration method, and a computer-readable recording medium which records an application program, which can implement automatic setting for Internet connection using a portable recording medium.

According to the present invention, there is provided an Internet connection setting method using a portable recording medium, characterized by comprising the steps of making a provider agreement for a user by exchanging information with the terminal of an Internet provider selected by the user through a communication line at a write terminal in a store, which is capable of connecting the portable recording medium, receiving

information necessary for Internet connection from the provider terminal, generating Internet connection information for Internet connection on the basis of the information and registering the Internet connection information on the portable recording medium, when the portable recording medium having the Internet connection information registered thereon is connected to an electronic device in which an application program (Internet connection setting application program) capable of automatically loading the Internet connection information is registered in advance, automatically activating the application program to load the Internet connection information from the portable recording medium and execute connection setting for Internet connection in the electronic device on the basis of the loaded Internet connection information.

In the Internet connection setting method with the above steps, not only the provider agreement with the Internet provider selected by the user can be made for the user at the write terminal in the store but also the Internet connection information for Internet connection through the provider can be registered on a portable recording medium represented by a memory card, floppy disk, or mini disk (MD). Hence, the user can cause the application program to automatically execute setting necessary for Internet connection only by

connecting the medium to an electronic device such as a personal computer, portable telephone, or electronic camera (digital camera). In addition, since the medium is portable, automatic Internet connection setting can be performed in every electronic device by preparing only one medium.

To make Internet connection setting possible independently of the type of electronic device, the data structure of Internet connection information is uniformed to a predetermined data format independently of the type of electronic device. Furthermore, dialup setting is applied as Internet connection setting.

To protect the Internet information registered on the portable recording medium from illicit use by a third party, the user is caused to input an arbitrary password to the write terminal, the input password is encrypted in accordance with a predetermined algorithm, registering the encrypted password in a predetermined area of the portable recording medium, in Internet connection setting in the electronic device, the user is caused to input a password, the authenticity of the user is determined by comparing/collating the input password with the registered password on the predetermined area after decrypting the input password or encrypting the registered password by a predetermined algorithm, and Internet connection setting is executed on the basis of the determination result.

00840057.042401

The information transferred from the write terminal to the provider selected by the user in exchanging the information comprises at least one of a method of paying a charge to the provider and a candidate of a mail account requested by the user.

For the electronic device on the user (client) side, the present invention related to the Internet connection setting method using a portable recording medium can be regarded as an invention related to an Internet connection setting method of an electronic device, or an invention related to a computer-readable recording medium which records an Internet connection setting application program (for causing the electronic device to execute procedures applied to the above method). For the write terminal in the store, the present invention can be regarded as an invention related to an Internet connection information registration method at the write terminal for the Internet connection service, or an invention related to a computer-readable recording medium which records an Internet connection information registration application program (for causing the write terminal to execute procedures applied to the above method).

When the Internet connection information registration service for a portable recording medium (presented by the user or bought by the user at the store with the write terminal installed) is executed by

the write terminal, the Internet provider selected by the user is expected to benefit. For this reason, the present invention can also be regarded as an invention related to a business method by an Internet connection information registration service in which the store with the write terminal installed obtains a predetermined compensation from the provider. This can also incorporate a business mechanism wherein the developer of the Internet connection information registration service also obtains a predetermined compensation from the provider selected by the user.

To accurately calculate the compensation on the provider side, the write terminal is caused to notify an agreement count apparatus of the Internet connection information registration service developer of completion of registration of the Internet connection information on the portable recording medium whereby the agreement count apparatus counts the number of subscribers to each provider in units of stores, and the count result is periodically sent from the agreement count apparatus to a corresponding provider.

The present invention related to the Internet connection information registration method can also be regarded as an invention related to a write terminal (Internet connection information write terminal) to which the method is applied.

Additional objects and advantages of the invention

will be set forth in the description which follows, and in part will be obvious from the description, or may be learned by practice of the invention. The objects and advantages of the invention may be realized and
5 obtained by means of the instrumentalities and combinations particularly pointed out hereinafter.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

The accompanying drawings, which are incorporated in and constitute a part of the specification,
10 illustrate presently preferred embodiments of the invention, and together with the general description given above and the detailed description of the preferred embodiments given below, serve to explain the principles of the invention.

15 FIG. 1 is a view showing the overall arrangement of an Internet connection system using a portable recording medium according to an embodiment of the present invention;

FIG. 2 is a view for explaining an Internet
20 connection information registration service to a memory card 15 at a mass sales store 16 (Internet connection information registration service store) in the system show in FIG. 1;

FIG. 3 is a block diagram showing the schematic
25 arrangement of the memory card 15;

FIG. 4 is a view for explaining Internet connection from a user-side electronic device (PC 11)

004057 04404
TOR210 2500880

using the memory card 15 on which Internet connection information 150 is written; and

FIG. 5 is a view for explaining cash back from each provider to the system providing company and Internet connection information registration service store.

DETAILED DESCRIPTION OF THE INVENTION

The embodiment of the present invention will be described below with reference to the accompanying drawing.

FIG. 1 is a view showing the overall arrangement of an Internet connection system using a portable recording medium according to an embodiment of the present invention.

Referring to FIG. 1, each of electronic devices such as a PC (Personal Computer) 11, portable telephone 12 as a mobile telephone, electronic camera 13, and TV apparatus (television apparatus) 14 has a card slot capable of receiving a predetermined portable recording medium, e.g., a stamp-size memory card 15 having a secret storage area which cannot be directly externally accessed, and a communication interface (not shown) such as a modem necessary for connection to the Internet 10.

In this embodiment, Internet connection information 150 containing a user ID, user password, mail account, mail password, DNS (DNS server address),

09840857.042401

and access point (telephone number of the connection destination) is registered on the memory card 15 such that the electronic device with the card 15 inserted (to the card slot) can be connected to the Internet 10 (through the server of an Internet provider, i.e., the provider side). The Internet connection information 150 registered on the memory card 15 has a predetermined data format independently of the type of the electronic device (device) such as the PC 11, portable telephone 12, electronic camera 13, or TV apparatus 14.

The PC 11 has a (computer-readable) recording medium recorded with a specific application program (Internet connection setting application program) 110 which is automatically activated when the memory card 15 is inserted into the corresponding card slot, and reads out the Internet connection information 150 having a predetermined format from the card 15 for automatic connection to the Internet 10. The electronic device of another type, such as the portable telephone 12, electronic camera 13, or TV apparatus 14, also has a (computer-readable) recording medium recorded with the Internet connection setting application program (to be referred to as an application hereinafter) 110. This recording medium is a ROM, disk device, or flash memory. The application 110 may be downloaded through a communication line.

Since the electronic device such as the PC 11,

20250527 09:44:04

portable telephone 12, electronic camera 13, or TV apparatus 14 has the application (Internet connection setting application) 110, the user can easily connect the device to the Internet 10 only by having the memory card 15 on which the Internet connection information 150 is registered and appropriately inserting the card 15 into the card slot of the electronic device (electronic device such as the PC 11, portable telephone 12, electronic camera 13, or TV apparatus 14). The user can connect every device to the Internet 10 by selectively using the single memory card 15 because the memory card 15 does not depend on the electronic device to be used.

In this embodiment, there is a store that provides the registration service of the Internet connection information 150 onto the memory card 15. A customer takes the memory card 15 to a store of this type or buys the memory card 15 at the store and requests the store side to register the Internet connection information onto the memory card 15. Referring to FIG. 1, the Internet connection information registration service is provided by a mass sales store 16 and convenience store 17. For this purpose, the mass sales store 16 prepares a PC 160 having a (computer-readable) recording medium recorded with an application (Internet connection information registration application program) 180 for Internet connection information

registration. The convenience store 17 prepares an information write terminal 170 having a (computer-readable) recording medium recorded with not only the application (Internet connection information registration application) 180 for Internet connection information registration to the memory card 15 but also an application for digital content download to the memory card 15, MD (Mini Disk), or the like.

The number of users (the number of subscribers) who have agreed with Internet providers (to be referred to as providers hereinafter) 18 as a result of the registration service at the Internet connection information registration service store such as the mass sales store 16 or convenience store 17 can be totalized in units of providers 18 and in units of Internet connection information registration service stores. Each provider 18 does cash back 19 according to the number of subscribers to the providing company of this system (Internet connection system using a portable recording medium) and the Internet connection information registration service store (mass sales store 16, convenience store 17, or the like) in units of predetermined periods, e.g., in units of months.

The Internet connection information registration (write) service to the memory card 15 at the Internet connection information registration service store, e.g., the mass sales store 16 in the system shown in

100-240-25004830

FIG. 1 will be described next with reference to FIGS. 2 and 3.

When the user's memory card 15 is inserted to the card slot of the PC 160, as indicated by an arrow a, the Internet connection information registration application 180 is activated. A window (provider list window) 201 of providers (that have agreements with the company for providing the system shown in FIG. 1) is displayed on the display device of the PC 160.

When the user selects a desired provider or a clerk of the mass sales store 16 selects a provider requested by the user on the provider list window 201, the PC 160 displays a window 202 representing the contents of the subscriber agreement with the selected provider in accordance with the application 180. This window 202 has an OK button 202a. When the OK button 202a is clicked (selected), the window is switched to a payment method selection window 203. When a payment method is selected, the window is switched to a mail account creation window 204. When mail account candidates requested by the user are set, the PC 160 connects itself to a server 210 of the provider designated by the user through a line (Internet) and sends the payment method and mail account candidates designated by the user to the server 210, thereby requesting check, as indicated by an arrow b. Then, the window is switched to an online check window 205.

The server 210 of the provider designated by the user checks sequentially from the first mail account candidate whether the mail account candidates requested by the user have already been assigned to other users.

5 If a mail account is unassigned, the server 210 decides to assign the mail account to the user. If all candidates have already been assigned, the server 210 requests the PC 160 at the mass sales store 16 to create another mail account candidate.

10 Upon deciding to assign the mail account requested by the user, the server 210 also decides the user ID, user password, and mail password for the user and transmits pieces of information necessary for Internet connection, including the above pieces of information,
15 DNS, and access point, to the PC 160 at the mass sales store 16.

The PC 160 at the mass sales store 16 generates the Internet connection information 150 having a predetermined format, including the user ID, user
20 password, mail password, DNS, and access point, on the basis of the information sent from the server 210 of the provider, and starts operation of encrypting the Internet connection information 150 using a media key Km (to be described later) in accordance with a prede-
25 termined algorithm and writing the Internet connection information 150 in the storage area of the memory card 15 inserted to the card slot of the PC 160. The window

is switched to an information writing window 206.

As shown in FIG. 3, the memory card 15 has a controller 30, and a storage medium section formed from a public area 31 and secret area 32.

5 The secret area 32 is a storage area that can be accessed only by a private procedure (i.e., specific secret procedure) through the controller 30 and has a secret ROM area 320 where a constant such as media identification information (to be referred to as a
10 media key hereinafter) Km unique to the corresponding memory card 15 is stored. The media key Km only need be unique to each memory card 15, and various kinds of identification information such as a serial number, manufacturing number (manufacturing number or manufac-
15 turing lot number of each memory card 15) can be used. The secret ROM area 320 is ensured, e.g., on the ROM (Read Only Memory).

 The public area 31 is an area except the secret area, which can be accessed by a normal access, and has
20 a rewritable public area (to be referred to as a public R/W area hereinafter) 310. The Internet connection information 150 encrypted by the media key Km is written to a predetermined position of the public R/W area 310. The public R/W area 310 is ensured, e.g., in
25 specific area of a flash memory (rewritable nonvolatile memory).

 When the Internet connection information 150 is

00000057 5442404

completely written in the public R/W area 310, the PC 160 switches the window to an inquiry window 207 for inquiring the user whether the information on the memory card 15 need be protected by a password.

5 If the user requests protection by a password, the PC 160 makes the user to designate the password. The PC 160 encrypts the password designated by the user in accordance with a predetermined algorithm and writes it to a predetermined position in the public R/W area
10 310 of the memory card 15 as a password 311. The encrypted password 311 is used as a key to extract the media key Km from the secret ROM area 320. When the password 311 is completely written on the memory card 15, the PC 160 ends the series of Internet connection
15 information write processing, i.e., user registration processing operations. In this case, the PC 160 switches the window to a window 208 representing completion of user registration and also notifies an agreement count server 211 of the enterprise (system
20 providing company), which has developed this system, of completion of user registration through, e.g., the Internet, as indicated by an arrow c. If protection by a password is not requested, the PC 160 immediately switches the window to the user registration completion
25 window 208 and notifies the agreement count server 211 of completion of user registration, as indicated by the arrow c. This user registration completion

00840057-042401

notification also contains the information of the provider that has made the agreement with the user.

10840057 042404
The agreement count server 211 counts (totalizes) the numbers of users (the number of subscribers) having agreements with the providers in units of Internet connection information registration service stores such as the mass sales store 16. Upon receiving the user registration completion notification from the PC 160 at the mass sales store 16, the agreement count server 211 increments the number of subscribers to the provider of notification by one and increments the number of subscribers handled by the store (mass sales store 16) that has done the Internet connection information registration service for connection to the provider by one.

Internet connection by the user-side electronic device using the memory card 15 on which the Internet connection information 150 is written in the above-described way will be described next with reference to FIG. 4.

Assume that the user inserts the memory card 15 having the Internet connection information 150 written thereon into the memory card slot of the electronic device such as the PC 11, portable telephone 12, electronic camera 13, or TV apparatus 14 shown in FIG. 1. Assume that the electronic device is the PC 11, as shown in FIG. 4.

The PC 11 loads information from a predetermined position of the memory card 15. Information for activating the application 110 is written at this predetermined position of the memory card 15. Hence,
5 when the PC 11 loads the information, the application 110 is activated (step 401).

The PC 11 operates in accordance with the application 110 in the following manner.

First, the PC 11 loads the Internet connection
10 information 150 encrypted by the media key Km from the memory card 15 (from the public R/W area 310 of the memory card 15) (step 402). The PC 11 checks whether the Internet connection information 150 is protected by a password, i.e., the password 311 is registered on the
15 memory card 15 (step 403).

If YES in step 403, the PC 11 causes the user to input the password. The PC 11 reads out the encrypted password 311 from the memory card 15 (from the public R/W area 310 of the memory card 15) and compares/
20 collates it with the password input by the user (step 404). In this case, the password 311 read out from the memory card 15 may be decrypted and collated with the password, or the input password may be encrypted and collated with the password 311 read out from the memory
25 card 15. If the passwords do not match, the PC 11 determines that the user is not the authentic holder of the memory card 15 and ends the processing (step 405).

5
10

15

20
25

Upon receiving the encrypted media key K_m

(= $Kx1[Km]$) sent from the memory card 15 (the controller 30 of the memory card 15), the PC 11 decrypts the media key Km using the authentication key ($Kx1$) acquired by the preceding key exchange, thereby obtaining the media key Km (step 407). The procedure of obtaining the media key Km is also applied to a case wherein the PC 160 at the mass sales store 16 will acquire the media key Km to be used to encrypt the Internet connection information 150 from the provider server 210.

The PC 11 acquires the decrypted media key Km and decrypts, by the acquired media key Km , the Internet connection information 150 encrypted (by the media key Km) and loaded from the memory card 15 in step 402 (step 408). Thus, the PC 11 acquires the decrypted Internet connection information 150.

On the basis of the acquired Internet connection information 150, the PC 11 executes setting for dialup connection for connecting itself to the provider 18 (to the Internet 10 through the provider 18) and setting for mail on a predetermined area of a nonvolatile storage means such as a flash memory in accordance with the application 110 (step 409). With this processing, setting for connection to the Internet 10 is ended (step 410), so the user can access the Internet 10 from the PC 11. That is, setting for connection to the Internet 10 can be automatically done only by inserting

09840057 042401

the memory card 15 with the Internet connection information 150 written thereon into the card slot of the PC 11 by the user. Even for an electronic device other than the PC 11, e.g., the portable telephone 12, electronic camera 13, or TV apparatus 14 shown in FIG. 1, which has the card slot for the memory card 15 and the application 110 (stored or downloaded in advance), setting for connection to the Internet 10 can be automatically performed only by inserting the memory card 15 with the Internet connection information 150 written thereon into the card slot of the electronic device. In activating the application 110, it may be checked whether Internet connection setting has already been done, and if so, the Internet connection setting operation may be suppressed. For this purpose, flag information representing whether the Internet connection setting has already been done is set to a predetermined position of the nonvolatile storage means.

Finally, cash back from each provider 18 to the system providing company and Internet connection information registration service store will be described with reference to FIG. 5.

Assume that the providers 18 comprise two providers 18X and 18Y, the Internet connection information registration service store which has done the Internet connection information registration

0040057-042401

5
10
15

20

25

The agreement count server 211 notifies each provider of the number of subscribers from each

Internet connection information registration service store periodically, e.g., every month on the basis of the contents held by the server 211 itself. Hence, the provider 18X is notified that the number of subscribers from the mass sales store 16A is α (step 501), and the provider 18Y is notified that the number of subscribers from the mass sales store 16B is β (step 502).

The provider 18X makes cash back of $\gamma \times \alpha \times (1 - \varepsilon)$ yen to the mass sales store 16A and cash back of $\gamma \times \alpha \times \varepsilon$ yen to the system providing company 51 (steps 503 and 504). On the other hand, the provider 18Y makes cash back of $\delta \times \beta \times (1 - \varepsilon)$ yen to the mass sales store 16B and cash back of $\delta \times \beta \times \varepsilon$ yen to the system providing company 51 (steps 505 and 506). Hence, the system providing company 51 receives cash back of $\gamma \times \alpha \times \varepsilon + \delta \times \beta \times \varepsilon$ yen (step 507).

In the above-described embodiment, a stamp-size memory card is used as a portable recording medium. However, the present invention is not limited to this, and a memory card having any other shape or a portable recording medium other than a memory card, such as a floppy disk or MD can also be used. If the Internet connection information need not be protected, the storage area of the portable recording medium need not always have the public area and the secret area where the media key K_m is stored.

As has been described above in detail, according

to the present invention, automatic setting for Internet connection using a portable recording medium can be implemented.

5 In addition, according to the present invention, a business by the Internet connection information registration service which allows automatic setting for Internet connection using a portable recording medium can be implemented.

10 Additional advantages and modifications will readily occur to those skilled in the art. Therefore, the invention in its broader aspects is not limited to the specific details and representative embodiments shown and described herein. Accordingly, various modifications may be made without departing from the
15 spirit or scope of the general inventive concept as defined by the appended claims and their equivalents.

0810057.02104
101210 2504360